

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (currently amended) An optical device comprising
a primary grating;
a an incoherent light source disposed opposing a predetermined side of the
primary grating;
a first reference grating disposed between the light source and the primary
grating;
a photodetector disposed opposing the predetermined side of the primary grating;
and
a second reference grating disposed between the photodetector and the primary
grating;
wherein the primary grating, the first reference grating and the light source are
configured for movement relative to one another;
wherein a period T_r of the first reference grating and a period T of the second
reference grating are related to a period T_s of the primary grating by the following formula:
$$\frac{1}{T} + \frac{1}{T_r} = \frac{1}{T_s}.$$
2. (original) The optical device of claim 1, wherein the primary grating is a
moving grating and the first reference grating and second reference grating are fixed gratings.
3. (original) The optical device of claim 1, wherein the primary grating, light
source, first reference grating, second reference grating and photodetector are configured as an
optical position encoder device.
4. (original) The optical device of claim 1, wherein the grating is a reflective
grating.

5. (original) The optical device of claim 1, wherein the first reference grating and second reference grating are configured for identical relative motion with respect to the primary grating.

6. (original) The optical device of claim 1, wherein the light source is a semiconductor laser.

7. (original) The optical device of claim 1, wherein the light source is an extended light source.

8. (original) The optical device of claim 7, wherein the extended light source is a light emitting diode (LED).

9. (canceled).

10. (currently amended) An optical position encoder device comprising:
a moving grating with a period T_s ;
a photodetector with light sensitive components;
a an incoherent light source disposed on the photodetector;
a first fixed grating with spatial period T_r disposed on the light source; and
at least one second fixed grating with period T disposed on the light sensitive components;
wherein the moving grating is moveable relative to the first fixed grating and the light source;
wherein a period T_r of the first reference grating and a period T of the second reference grating are related to a period T_s of the primary grating by the following formula:

$$\frac{1}{T} + \frac{1}{T_r} = \frac{1}{T_s}$$

11. (currently amended) The optical position encoder device of ~~claim 9~~ claim 10, wherein the light source is an incoherent light source.

12. (canceled).

13. (original) The optical position encoder device of claim 10, wherein there is a plurality of second fixed gratings with a fixed phase relationship thereamong such that the photodetector receives only one harmonic component.

14. (original) The optical position encoder device of claim 13, wherein the plurality of second fixed gratings are sinusoidal fixed gratings.

15. (currently amended) An optical device comprising
a primary grating;
a an incoherent light source disposed opposing a predetermined side of the primary grating;
a first reference grating disposed between the light source and the primary grating;
a photodetector disposed on a far side of the primary grating; and
a second reference grating disposed between the photodetector and the primary grating;
wherein the primary grating, the first reference grating and the light source are configured for movement relative to one another;
wherein a period T_r of the first reference grating and a period T of the second reference grating are related to a period T_s of the primary grating by the following formula:

$$\frac{1}{T} + \frac{1}{T_r} = \frac{1}{T_s}.$$